## Amendments to the Specification:

Please replace the paragraph beginning on page 161, line 11 with the following amended paragraph:

### **EXAMPLE 74**

# 2,8-Dihydroxy-11,12-dihydro-6,13-dioxa-benzo[3,4]cvclohepta[1,2-a]naphthalen-5one Compound # 57

Please replace the paragraph beginning on page 162, line1 with the following amended paragraph:

### EXAMPLE 75

# 2,8-Bis-(tert-butyl-dimethyl-silyloxy)-11,12-dihydro-5H-6,13-dioxabenzo[3,4]cyclohepta[1,2-a]naphthalen-5-ol Compound # 53

Please replace the paragraph beginning on page 162, line 22 with the following amended paragraph:

### **EXAMPLE 76**

# 1-(2-{4-[2,8-Bis-(tert-butyl-dimethyl-silyloxy)-11,12-dihydro-5H-6,13-dioxa-benzo[3,4]cyclohepta[1,2-a]naphthalen-5-yl]-phenoxy}-ethyl)-piperidine Compound #54

Please replace the paragraph beginning on page 197, line 14 with the following amended paragraph:

#### Example 115

2,2-Dimethyl-propionic acid 8-fluoro-5-[4-(2-piperidin-1-yl-ethoxy)-phenyl]-5,11-dihydro-chromeno[4,3-c]chromen-2-yl ester Compound #87 #93

Please replace the paragraph beginning on page 201, line 13 with the following amended paragraph:

## Example 121

# 3-(2,4-Dimethoxy-phenyl)-5,7-dimethoxy-4-methyl-chromen-2-one Compound #284 285

Please replace the paragraph beginning on page 216, line 6 with the following amended paragraph:

## Example 142

8-Methoxy- $5S^{*}$ [4-(2-piperidin-1-yl-ethoxy)-phenyl]-5,11-dihydro-chromeno[4,3-c]chromen-2-ol Compound # $\frac{176-181}{2}$ 

Please replace the paragraph beginning on page 217, line 1 with the following amended paragraph:

## Example 143

8-Methoxy-11S\*(-)-[4-(2-piperidin-1-yl-ethoxy)-phenyl]-5,11-dihydro-chromeno[4,3-c]chromen-2-ol Compound #181 176

Please replace Table 2 beginning on page 241 with the following amended Table 2:

TABLE 2

				I ADLIL Z			_
			R⁴ <u>ĺ</u>	$R^1$	3	·	
ID No	Exam ple	Υ	R¹	R <sup>2</sup>	R <sup>3</sup>	R⁴	Calc. MW
4	<u>24</u>	-CH <sub>2</sub> -	Н	hydroxy	2-(t-butyl- dimethyl- silyloxy)	8-(t-butyl- dimethyl- silyloxy)	512.79
5	41	-CH₂-	Н	phenyl	2-(t-butyl- dimethyl- silyloxy)	8-(t-butyl- dimethyl- silyloxy)	572.89

	6	<u>51</u>	-CH <sub>2</sub> -	Н	phenyl	2-hydroxy	8-hydroxy	344.36
	8	<u>35</u>	-CH <sub>2</sub> -	Н	4-(1-piperidinyl-ethoxy)-	2-(t-butyl-	8-(t-butyl-	700.08
	)	<u>50</u>	0112		phenyl	dimethyl- silyloxy)	dimethyl- silyloxy)	700.00
	9	44	-CH₂-	Н	4-(1-piperidinyl-ethoxy)- phenyl	2-hydroxy	8-hydroxy	471.55
·	10	<u>38</u>	-CH₂ <del>-</del>	Н	4-(1-pyrrolidinyl-ethoxy)- phenyl	2-(t-butyl- dimethyl- silyloxy)	8-(t-butyl- dimethyl- silyloxy)	686.05
	11	<u>47</u>	-CH₂-	Н	4-(1-pyrrolidinyl-ethoxy)- phenyl	2-hydroxy	8-hydroxy	457.52
	12	<u>37</u>	-CH₂-	Н	4-(4-morpholinyl-ethoxy)- phenyl	2-(t-butyl- dimethyl- silyloxy)	8-(t-butyl- dimethyl- silyloxy)	702.05
	13	<u>46</u>	-CH <sub>2</sub> -	Н	4-(4-morpholinyl-ethoxy)- phenyl	2-hydroxy	8-hydroxy	473.52
	14	<u>78</u>	-CH₂-	Н	R*-(-)-[4-(1-piperidinyl- ethoxy)-phenyl]	2-hydroxy	8-hydroxy	471.55
	15	<u>78</u>	-CH <sub>2</sub> -	Н	S*-(+)-[4-(1-piperidinyl- ethoxy)-phenyl}	2-hydroxy	8-hydroxy	471.55
	16	<u>36</u>	-CH <sub>2</sub> -	Н	4-(1-azepanyl-ethoxy)- phenyl	2-(t-butyl- dimethyl- silyloxy)	8-(t-butyl- dimethyl- silyloxy)	714.10
	17	<u>45</u>	-CH <sub>2</sub> -	Н	4-(1-azepanyl-ethoxy)- phenyl	2-hydroxy	8-hydroxy	485.58
	18	<u>39</u>	-CH₂-	Н	4-(diethylamino-ethoxy)- phenyl	2-(t-butyl- dimethyl- silyloxy)	8-(t-butyl- dimethyl- silyloxy)	688.06

19	<u>48</u>	-CH₂-	Н	4-(diethylamino-ethoxy)- phenyl	2-hydroxy	8-hydroxy	459.54
20	40	-CH₂-	Н	4-(dimethylamino-ethoxy)- phenyl	2-(t-butyl- dimethyl- silyloxy)	8-(t-butyl- dimethyl- silyloxy)	660.01
21	<u>49</u>	-CH₂-	H	4-(dimethylamino-ethoxy)- phenyl	2-hydroxy	8-hydroxy	431.49
22	<u>54</u>	-CH <sub>2</sub> -	Н	4-(1-piperidinyl-ethoxy)- phenyl	2-t-butyl- C(O)O-	8-t-butyl- C(O)O-	639.78
23	<u>42</u>	-CH <sub>2</sub> -	Н	4-(dimethyl amino)-phenyl	2-(t-butyl- dimethyl- silyloxy)	8-(t-butyl- dimethyl- silyloxy)	615.96
24	<u>67</u>	-CH₂-	Н	R*-(-)-[4-(1-piperidinyl- ethoxy)-phenyl]	2-t-butyl- C(O)O-	8-t-butyl- C(O)O-	639.78
25	<u>67</u>	-CH₂-	Н	S*-(+)-[4-(1-piperidinyl- ethoxy)-phenyl]	2-t-butyl- C(O)O-	8-t-butyl- C(O)O-	639.78
26	<u>50</u>	-CH₂-	Н	4-(dimethyl amino)-phenyl	2-hydroxy	8-hydroxy	387.43
27		-CH (OCH₃)-	Н	4-(1-piperidinyl-ethoxy)- phenyl	2-t-butyl- C(O)O-	8-t-butyl- C(O)O-	669.81
28		-CH(OH)-	Н	4-(1-piperidinyl-ethoxy)- phenyl	2-t-butyl- C(O)O-	8-t-butyl- C(O)O-	655.78
29	<u>57C</u> .	-CH₂-	CH₃	4-(1-piperidinyl-ethoxy)- phenyl	2-hydroxy	8-hydroxy	485.58
30	<u>55D</u>	-CH <sub>2</sub> -	CH₃	4-(pyrrolidinyl-ethoxy)- phenyl	2-t-butyl- C(O)O-	8-t-butyl- C(O)O-	639.78

	31	<u>55C</u>	-CH <sub>2</sub> -	CH₃	4-(pyrrolidinyl-ethoxy)- phenyl	2-hydroxy	8-hydroxy	471.55
	32	<u>55B</u>	-CH <sub>2</sub> -	CH₃	4-(pyrrolidinyl-ethoxy)- phenyl	2-t-butyl- dimethyl silyloxy	8-(t-butyl- dimethyl- silyloxy)	700.08
	33	<u>56D</u>	-CH₂-	CH₃	4-(azepanyl-ethoxy)- phenyl	2-t-butyl- C(O)O-	8-t-butyl- C(O)O-	667.84
	34	<u>56C</u>	-CH <sub>2</sub> -	CH₃	4-(azepanyl-ethoxy)- phenyl	2-hydroxy	8-hydroxy	499.60
	35	<u>56B</u>	-CH₂-	CH₃	4-(azepanyl-ethoxy)- phenyl	2-t-butyl- dimethyl silyloxy	8-(t-butyl- dimethyl- silyloxy)	728.13
	36		-CH <sub>2</sub> -	ОН	4-benzyloxy-phenyl	2-t-butyl- dimethyl silyloxy	8-(t-butyl- dimethyl- silyloxy)	695.01
	38	<u>59D</u>	-CH₂-	CH₃	3-(1-piperidinyl-n-ethoxy)- phenyl	2-t-butyl- C(O)O-	8-t-butyl- C(O)O-	653.81
	39	<u>59C</u>	-CH <sub>2</sub> -	CH₃	3-(1-piperidinyl-n-ethoxy)- phenyl	2-hydroxy	8-hydroxy	485.58
	40	<u>59B</u>	-CH₂-	CH₃	3-(1-piperidinyl-n-ethoxy)- phenyl	2-t-butyl- dimethyl silyloxy	8-(t-butyl- dimethyl- silyloxy)	714.10
,	41	<u>57D</u>	-CH₂-	CH <sub>3</sub>	4-(1-piperidinyl-n-ethoxy)- phenyl	2-t-butyl- C(O)O-	8-t-butyl- C(O)O-	653.81
	42	<u>57B</u>	-CH₂-	CH₃	4-(1-piperidinyl-n-ethoxy)- phenyl	2-t-butyl- dimethyl silyloxy	8-(t-butyl- dimethyl- silyloxy)	714.10
	43	<u>58D</u>	-CH <sub>2</sub> -	CH <sub>3</sub>	4-(1-piperidinyl-n- propioxy)-phenyl	2-t-butyl- C(O)O-	8-t-butyl- C(O)O-	667.84

44	<u>58C</u>	-CH₂-	CH₃	4-(1-piperidinyl-n- propoxy)-phenyl	2-hydroxy	8-hydroxy	499.60
45	<u>58B</u>	-CH₂-	CH <sub>3</sub>	4-(1-piperidinyl-n- propoxy)-phenyl	2-t-butyl- dimethyl silyloxy	8-(t-butyl- dimethyl- silyloxy)	728.13
46	<u>52</u>	-CH₂-	Н	4-(1-piperidinyl-n-ethoxy)- phenyl	2-hydroxy	8-fluoro	473.54
47	<u>53</u>	-CH-(iso- propyl)-	Н	4-(1-piperidinyl-n-ethoxy)- phenyl	2-hydroxy	8-fluoro	515.62
48		-CH₂-	Н	4-(1-piperidinyl-ethoxy)- phenyl	2-OC(O) CH-(phenyl)- OC(O)CH <sub>3</sub>	8-OC(O)- CH-(phenyl)- OC(O)CH <sub>3</sub>	823.3
49	<u>68</u>	-CH <sub>2</sub> -	Н	S - 4-(1-piperidinyl- ethoxy)-phenyl	2-OC(O)- 1,7,7- trimethyl-2- oxabi cyclo[2.2.1]h eptan-3-one	8-OC(O)- 1,7,7- trimethyl-2- oxabicyclo [2.2.1]hepta n-3-one	831.36
50		-CH₂-	Н	4-(1-piperidinyl-ethoxy)- phenyl	2-OC(O)- C(CH <sub>3</sub> )(CF <sub>3</sub> ) -phenyl)	8-OC(O)-	903.28
51	<u>79</u>	-CH₂-	Н	4-(1-piperidinyl-ethoxy)- phenyl	2-OC(O)-t- butyl)	8-hydroxy	55.26
52	<u>79</u>	-CH <sub>2</sub> -	Н	4-(1-piperidinyl-ethoxy)- phenyl	2-hydroxy	8-OC(O)-t- butyl	555.26
53	<u>75</u>	-CH <sub>2</sub> CH <sub>2</sub> -	Н	hydroxy	2-(t-butyl- dimethyl- silyloxy)	8-(t-butyl- dimethyl- silyloxy)	526.26
54	<u>76</u>	-CH <sub>2</sub> CH <sub>2</sub> -	Н	4-(1-piperidinyl-ethoxy)- phenyl	2-(t-butyl- dimethyl- silyloxy)	8-(t-butyl- dimethyl- silyloxy)	713.39

5	55	<u>77</u>	-CH₂CH₂-	Н	4-(1-piperidinyl-ethoxy)- phenyl	2-hydroxy	8-hydroxy	485.22
8	36	<u>25</u>	-CH₂-	Н	hydroxy	2-(t-butyl- dimethyl- silyloxy)	8-fluoro	400.52
8	37	<u>43</u>	-CH₂-	H	4-(1-piperidinyl-ethoxy)- phenyl	2-(t-butyl- dimethyl- silyloxy)	8-fluoro	
		<u>141</u>						
8	19		-CH₂-	Н	S -4-(piperidinyl-ethoxy)- phenyl	2-t-butyl carbonyl-oxy	8-hydroxy	555.68
		<u>141</u>						
9	00		-CH <sub>2</sub> -	H	S -4-(piperidinyl-ethoxy)- phenyl	2-hydroxy	8-t-butyl carbonyl-oxy	555.68
		<u>179</u>					8-t-	
9	)1		-CH <sub>2</sub> -	Н	R -4-(piperidinyl-ethoxy)- phenyl	2-hydroxy	butylcarbony loxy	555.68
		<u>179</u>						
9	2	_	-CH <sub>2</sub> -	Н	R-4-(piperidinyl-ethoxy)- phenyl	2-t-butyl carbonyl-oxy	8-hydroxy	557.67
		<u>115</u>						
9	3		-CH <sub>2</sub> -	Н	S <sup>*</sup> -4-(piperidinyl-ethoxy)- phenyl	2-t-butyl carbonyl-oxy	8-fluoro	557.67
		<u>91</u>	-CH <sub>2</sub> -CH <sub>2</sub> .			2-(t-butyl- dimethyl-	8-(t-butyl- dimethyl-	
9	4		CH <sub>2</sub> -	Н	hydroxy	silyloxy)	silyloxy)	540.85
		<u>86</u>	-CH <sub>2</sub> -C(O)-		4-(piperidinyl-ethoxy)-	2-(t-butyl- dimethyl-	8-(t-butyl- dimethyl-	
_9	5	<u>87</u>	CH <sub>2</sub> -	<u>H</u>	phenyl	silyloxy)	silyloxy)	742.12
9	06	:	-CH <sub>2</sub> -C(O)- CH <sub>2</sub> -	Н	4-(piperidinyl-ethoxy)- phenyl	2-hydroxy	8-hydroxy	513.6
		<u>94</u>						
9	7		-CH <sub>2</sub> -CH <sub>2</sub> . CH <sub>2</sub> -	H	4-(piperidinyl-ethoxy)- phenyl	2-hydroxy	8-hydroxy	499.61

98	<u>95</u>	-CH₂-	Н	carboxymethyl	2-(t-butyl- dimethyl- silyloxy)	8-(t-butyl- dimethyl- silyloxy)	554.84
	<u>145</u>						·
.				R -4-(piperidinyl-ethoxy)-		·	
99	4.45	-CH <sub>2</sub> CH <sub>2</sub> -	<u>H</u>	phenyl	2-hydroxy	8-hydroxy	485.59
	<u>145</u>						
100		-CH <sub>2</sub> CH <sub>2</sub> -	H	S <sup>*</sup> -4-(piperidinyl-ethoxy)-	2-hydroxy	8-hydroxy	485.59
100	<u>96</u>	-CH2CH2		prierryi			400.00
					2-(t-butyl- dimethyl-	8-(t-butyl- dimethyl-	
101		-CH <sub>2</sub> -	_н	methoxy-carbonyl-methyl	silyloxy)	silyloxy)	568.86
	<u>97</u>						
				·			
102		-CH <sub>2</sub> -	<u>H</u>	methoxy-carbonyl-methyl	2-hydroxy	8-hydroxy	340.34
	-						
103		-CH <sub>2</sub> -	н	dimethylamino-n-propoxy- carbonyl-methyl	2-hydroxy	8-hydroxy	411.46
100	<u>98</u>	-0112-1		Carbonyi-metriyi	Z-Hydroxy	0-Hydroxy	711.70
				dimethylamino-ethoxy-			
104		-CH <sub>2</sub> -	н_	carbonyl-methyl	2-hydroxy	8-hydroxy	397.43
		· .		·			
				pyrrolidinyl-ethoxy-			
105		-CH <sub>2</sub> -	H	carbonyl-methyl	2-hydroxy	8-hydroxy	423.47
,							٠.
106		-CH <sub>2</sub> -	Н	Piperidinyl-ethoxy- carbonyl-methyl	2-hydroxy	8-hydroxy	437.5
102	<u>99</u>	<u> </u>		- Care Congression	£ 119 w	<u> </u>	
							,
107		-CH <sub>2</sub> -	Н	carboxy-methyl	2-hydroxy	8-hydroxy	326.3
	. ļ				I		
				morpholinyl-ethyl-amino-		3.1 -1	1.00 4
108		-CH <sub>2</sub> -	H	carbonyl-methyl	2-hydroxy	8-hydroxy	438.48
109		-CH <sub>2</sub> -	Н	morpholinyl-ethoxy- carbonyl-methyl	2-hydroxy	8-hydroxy	439.4

						<del>.</del>	·
110		-CH <sub>2</sub> -	Н	Morpholinyl-n-propyl- amino-carbonyl-methyl	2-hydroxy	8-hydroxy	452.51
111		-CH₂-	Н	pyrrolidinyl-ethyl-amino- carbonyl-methyl	2-hydroxy	8-hydroxy	422.49
112		-CH₂-	Н	allyl	2-hydroxy	8-hydroxy	308.34
113		-CH₂-	Н	3-hydroxy-n-propyl	2-hydroxy	8-hydroxy	326.35
114		-CH₂-	Н	allyl	2-(t-butyl- dimethyl- silyloxy)	8-(t-butyl- dimethyl- silyloxy)	536.87
115		-CH₂-	Н	(4-(4-fluorophenyl)- piperazinyl)-carbonyl- methyl	2-hydroxy	8-hydroxy	488.52
116	·	-CH₂-	н	(4-(2-pyridyl)-piperazinyl)- carbonyl-methyl	2-hydroxy	8-hydroxy	471.52
117		-CH₂-	Н	4-(piperidinyl-ethoxy)- phenyl-carbonyl	2-hydroxy	8-hydroxy	499.57
119		-CH₂-	Н	3-hydroxy-n-propyl	2-(t-butyl- dimethyl- silyloxy)	8-(t-butyl- dimethyl- silyloxy)	554.88
120		-CH <sub>2</sub> -	Н	carboxy-methyl	2-(t-butyl- dimethyl- silyloxy)	8-(t-butyl- dimethyl- silyloxy)	554.84
121		-CH₂-	н	Isopropoxy-carbonyl- methyl	2-hydroxy	8-hydroxy	368.39
121	<u>101</u>	-0112-		metriyi	Lilydroxy	O Hydroxy	300.03
122		-CH <sub>2</sub> -	Н	2-hydroxy-ethyl	2-hydroxy	8-hydroxy	312.33

					<del></del>			
	123		-CH₂-	Н	2-hydroxy-2-(4-piperidinyl- ethoxy-phenyl)-ethyl	2-hydroxy	8-hydroxy	515.61
·	124		-CH₂-	. Н	4-(piperidinyl-ethoxy)- phenyl	-	8-hydroxy	455.56
		<u>94</u>	-CH <sub>2</sub> -CH <sub>2</sub> -		R -4-(piperidinyl-ethoxy)-			
	125	<u>94</u>	CH <sub>2</sub> -	Н	phenyl	2-hydroxy	8-hydroxy	499.61
	126		-CH <sub>2</sub> -CH <sub>2</sub> - CH <sub>2</sub> -	Н	S -4-(piperidinyl-ethoxy)- phenyl	2-hydroxy	8-hydroxy	499.61
	127		-CH <sub>2</sub> -	Н	R <sup>*</sup> -4-(piperidinyl-ethoxy)- phenyl	-	8-hydroxy	455.56
	128		-CH₂-	Н	S <sup>*</sup> -4-(piperidinyl-ethoxy)- phenyl	-	8-hydroxy	455.56
	129		-CH <sub>2</sub> CH <sub>2</sub> -	H	R <sup>*</sup> -4-(piperidinyl-ethoxy)- phenyl	2-hydroxy	8-fluoro	487.58
	130		-CH₂CH₂-	Н	S <sup>*</sup> -4-(piperidinyl-ethoxy)- phenyl	2-hydroxy	8-fluoro	487.58
	131		-CH₂CH₂-	Н	R -4-(piperidinyl-ethoxy)- phenyl	<u>-</u>	8-hydroxy	469.59
	132		-CH <sub>2</sub> CH <sub>2</sub> -	н	S -4-(piperidinyl-ethoxy)- phenyl	-	8-hydroxy	469.59
	133	<u>125</u>	-CH₂-	Н	4-(piperidinyl-ethoxy)- phenyl	2-hydroxy	-	455.56
	134	<u>126</u>	-CH <sub>2</sub> -	Н	4-(piperidinyl-ethoxy)- phenyl	2-t-butyl- carbonyl-oxy		539.68

	120			1			Τ
	120				2-(t-butyl-		
					dimethyl-		
135		-CH₂-	Н	hydroxy	silyloxy)	-	382.54
	<u>133</u>				•		
					·,		
136		-CH₂-	Н.	hydroxy	<b>-</b> ,	<b>-</b> .,	252.27
	<u>135</u>	<u>_</u>				<u></u>	
100		011		4-(piperidinyl-ethoxy)-			400 50
137	104	-CH₂-	Н	phenyl	-	-	439.56
	<u>104</u>					8-(t-butyl-	
						dimethyl-	
138		-CH <sub>2</sub> CH <sub>2</sub> -	Н	hydroxy	-	silyloxy)	396.56
	105				<b>5</b> (1 1 1 1		
				·.	2-(t-butyl-		
139		-CH <sub>2</sub> CH <sub>2</sub> -	H	hydroxy	dimethyl- silyloxy)		396.56
139	106	-CH2CH2-		hydroxy	Silyioxy)	-	390.30
	100	•		·		,	
				4-(piperidinyl-ethoxy)-			
140		-CH <sub>2</sub> CH <sub>2</sub> -	Н	phenyl	2-hydroxy	-	469.59
	<u>107</u>			·			
		-		4-(azepanyl-ethoxy-			
141		-CH <sub>2</sub> CH <sub>2</sub> -	Н	phenyl)	2-hydroxy		483.61
	108	01120112		prierryry	2 Hydroxy	-	100.01
	<u></u>		•	·			
				4-(dimethyl-amino-ethoxy-			
142		-CH <sub>2</sub> CH <sub>2</sub> -	Н	phenyl)	2-hydroxy	-	429.52
	<u>109</u>		,	·			
1				4-(azepanyl-ethoxy-			
143		-CH <sub>2</sub> CH <sub>2</sub> -	Н	phenyl)	<b>.</b> ,	8-hydroxy	483.61
	<u>110</u>				<u></u>	, , , , , , , , , , , , , , , , , , , ,	
, , ,				4-(dimethyl-amino-ethoxy-		0.5	400.50
144		-CH <sub>2</sub> CH <sub>2</sub> -	H	phenyl)	-	8-hydroxy	429.52
		`					
				R <sup>*</sup> -4-(dimethyl-amino-			
145	:	-CH₂-	• н	ethoxy-phenyl)	-	8-hydroxy	415.49
				6.4 (			
144				S -4-(piperidinyl-ethoxy)-	•		400 50
146		-CH <sub>2</sub> CH <sub>2</sub> -	H	phenyl	<u>-</u>		469.59

		110	·				<del></del> ,	
·	147		-CH <sub>2</sub> CH <sub>2</sub> -	Н	R -4-(dimethyl-amino- ethoxy-phenyl)	-	8-hydroxy	429.52
	148		-CH <sub>2</sub> CH <sub>2</sub> -	Н	R -4-(piperidinyl-ethoxy)- phenyl	-	-	469.59
		110	·					
	149		-CH <sub>2</sub> CH <sub>2</sub> -	Н	S -4-(dimethyl-amino- ethoxy-phenyl)	•	8-hydroxy	429.52
	·	<u>108</u>	`					·
	150		-CH <sub>2</sub> CH <sub>2</sub> -	Н	S -4-(dimethyl-amino- ethoxy-phenyl)	2-hydroxy	•	429.52
		<u>108</u>						
·	151	•	-CH <sub>2</sub> CH <sub>2</sub> -	Н	R -4-(dimethyl-amino- ethoxy-phenyl)	2-hydroxy		429.52
		<u>107</u>						
	152		-CH <sub>2</sub> CH <sub>2</sub> -	Н	S <sup>*</sup> -4-(azepanyl-ethoxy- phenyl)	2-hydroxy		483.61
		<u>107</u>						
	153		-CH <sub>2</sub> CH <sub>2</sub> -	Н	R -4-(azepanyl-ethoxy- phenyl)	2-hydroxy	-	483.61
		<u>109</u>						
	154		-CH <sub>2</sub> CH <sub>2</sub> -	Н	S <sup>*</sup> -4-(azepanyl-ethoxy- phenyl)	-	8-hydroxy	483.61
		<u>109</u>						
	155		-CH <sub>2</sub> CH <sub>2</sub> -	<u> </u>	R <sup>*</sup> -4-(azepanyl-ethoxy- phenyl)	_	8-hydroxy	483.61
		<u>146</u>						
	156		-CH <sub>2</sub> CH <sub>2</sub> -	Н	S <sup>*</sup> -4-(piperidinyl-ethoxy)- phenyl	2-methoxy	8-methoxy	513.64
	<del>157</del>		-CH <sub>2</sub> CH <sub>2</sub> -	Ħ	R <sup>±</sup> -4-(piperidinyl-ethoxy)- phenyl	2-methoxy	8-methoxy	<del>513.6</del> 4
	158	<u>124</u>	СП	Н	4-(piperidinyl-ethoxy)-	2-(t-butyl- dimethyl-		560.92
	130		-CH₂-	П	phenyl	silyloxy)	<u> </u>	569.82

	111						
				4-(azepanyl-ethoxy-			
159		-CH <sub>2</sub> CH <sub>2</sub> -	Н	phenyl)	2-hydroxy	8-hydroxy	499.61
	<u>112</u>				-	•	
				4-(diisopropyl-amino-	·		
160	440	-CH <sub>2</sub> CH <sub>2</sub> -	H	ethoxy-phenyl)	2-hydroxy	8-hydroxy	501.63
	<u>113</u>		•				
				4-(dimethyl-amino-ethoxy-	O la calcasa		445 50
161	136	-CH <sub>2</sub> CH <sub>2</sub> -	<u> </u>	phenyl)	2-hydroxy	8-hydroxy	445.52
	<u> </u>	-		A (min a vialina di adda avvi A	2-(t-butyl-	8-(t-butyl-	
162		CH(OCH <sub>3</sub> )	. н	4-(piperidinyl-ethoxy)- phenyl	dimethyl- silyloxy)	dimethyl- silyloxy)	730.11
	<u>113</u>			F			
				R -4-(dimethyl-amino-			.
163		-CH <sub>2</sub> CH <sub>2</sub> -	H	ethoxy-phenyl)	2-hydroxy	8-hydroxy	445.52
1	<u>113</u>		•				
				S -4-(dimethyl-amino-		,	_
164	111	-CH <sub>2</sub> CH <sub>2</sub> -	Н	ethoxy-phenyl)	2-hydroxy	8-hydroxy	445.52
	111			*			
165		-CH <sub>2</sub> CH <sub>2</sub> -	Н	R <sup>*</sup> -4-(azepanyl-ethoxy- phenyl)	2-hydroxy	8-hydroxy	499.61
103	111	301 1201 123		phenyl	Z-Hydroxy	O-Hydroxy	499.01
			,	S -4-(azepanyl-ethoxy-			
166		-CH <sub>2</sub> CH <sub>2</sub> -	Н	phenyl)	2-hydroxy	8-hydroxy	499.61
	112						
				R -4-(diisopropyl-amino-			
167		-CH <sub>2</sub> CH <sub>2</sub> -	H	ethoxy-phenyl)	2-hydroxy	8-hydroxy	501.63
	<u>112</u>						
				S <sup>*</sup> -4-(diisopropyl-amino-		0 51	[504.00]
168	138	-CH <sub>2</sub> CH <sub>2</sub> -	<u>H</u>	ethoxy-phenyl)	2-hydroxy	8-hydroxy	501.63
	<u></u>						.
169		-CH <sub>2</sub> -	Н	S <sup>*</sup> -4-(piperidinyl-ethoxy)- phenyl	_	-	439.56
	138	5.72	• •	phony			1.00.00
				R <sup>*</sup> -4-(piperidinyl-ethoxy)-			
170	_	-CH <sub>2</sub> -	Н	phenyl	• .	<u>-</u>	439.56

	137				T		<u> </u>
	<u></u>		•				
1		0		S -4-(piperidinyl-ethoxy)-	2-t-butyl		
171	107	-CH₂-	H	phenyl	carbonyl-oxy	-	539.68
	<u>137</u>			·			.
				R*-4-(piperidinyl-ethoxy)-	2-t-butyl		1
172		-CH <sub>2</sub> -	Н	phenyl	carbonyl-oxy		539.68
	<u>144</u>						
				R* <u>S*</u> -4-(piperidinyl-			
173		-CH <sub>2</sub> -	Н	ethoxy)-phenyl	2-methoxy	8-methoxy	499.61
1.0	140	J <sub>2</sub>		outerly, priority.		o meanery	100.01
,					,		
			1.6	4-(azepanyl-ethoxy-	0.5	0.41	504.0
174	· ·	-CH <sub>2</sub> CH <sub>2</sub> -	H	phenyl)	2-hydroxy	8-fluoro	501.6
					<u> </u>		
				S <sup>*</sup> -4-(piperidinyl-ethoxy)-		8-t-butyl	
175		-CH <sub>2</sub> -	H	phenyl	2-methoxy	carbonyl-oxy	569.7
	<u>143</u>			_			
				S -4-(piperidinyl-ethoxy)-			
176		-CH <sub>2</sub> -	Н	phenyl	2-methoxy	8-hydroxy	485.59
	140					, , , , ,	
				6* 4 /a-a-a-a-d-a-d-a-d-			
177		-CH-CH	н	S -4-(azepanyl-ethoxy- phenyl)	2-hydroxy	8-fluoro	501.6
177	140	-CH <sub>2</sub> CH <sub>2</sub> -		prienyi)	2-Hydroxy	8-11u010	301.0
	140						• .
		,		R <sup>*</sup> -4-(azepanyl-ethoxy-			
178		-CH <sub>2</sub> CH <sub>2</sub> -	Н	phenyl)	2-hydroxy	8-fluoro	501.6
	ŀ			R -4-(piperidinyl-ethoxy)-	2-t-butyl	8-t-butyl	1
179		-CH <sub>2</sub> CH <sub>2</sub> -	Н	phenyl		carbonyl-oxy	653.82
			·-	·			
				S -4-(piperidinyl-ethoxy)-	O t buttel	O t butul	
180		-CH <sub>2</sub> CH <sub>2</sub> -	н	phenyl	2-t-butyl carbonyl-oxy	8-t-butyl carbonyl-oxy	653.82
100	<u>142</u>	01 1201 12		phonyi	Carbonyi Oxy	Carbonyi Oxy	300.02
				·			
				S*-4-(piperidinyl-ethoxy)-		l	105 -5
181		-CH <sub>2</sub> -	<u> </u>	phenyl	2-hydroxy	8-methoxy	485.59
					2-t-butyl-	8-t-butyl-	
				4-(t-butyl-dimethyl-	dimethyl-	dimethyl-	
182		-CH <sub>2</sub> CH <sub>2</sub> -	<u>H</u>	silyloxy-ethoxy)-phenyl	silyloxy	silyloxy	775.27

	183		-CH₂CH₂-	Н	4-(3-hydroxy-n-propoxy)- phenyl	2-hydroxy	8-hydroxy	432.48
	184		-CH <sub>2</sub> CH <sub>2</sub> -	Н	4-(2-hydrox-ethoxy)- phenyl	2-hydroxy	8-hydroxy	418.45
	185		-CH <sub>2</sub> CH <sub>2</sub> -	Н	hydroxy	2-t-butyl- dimethyl- silyloxy	9-methyl	410.59
	186	<u>169</u>	-CH₂CH₂-	Н	4-(2-hydroxy-ethoxy)- phenyl	2-t-butyl- dimethyl- silyloxy	8-t-butyl- dimethyl- silyloxy	646.98
	187		-CH <sub>2</sub> CH <sub>2</sub> -	H	4-(formyl-methoxy)-phenyl	2-t-butyl- dimethyl- silyloxy	8-t-butyl- dimethyl- silyloxy	644.96
	188		-CH <sub>2</sub> CH <sub>2</sub> -	Н	4-(carboxy-methoxy)- phenyl	2-t-butyl- dimethyl- silyloxy	8-t-butyl- dimethyl- silyloxy	660.96
	189		-CH₂CH₂-	Н	4-(methoxy-carbonyl- methoxy)-phenyl	2-t-butyl- dimethyl- silyloxy	8-t-butyl- dimethyl- silyloxy	674.99
·	190		-CH <sub>2</sub> CH <sub>2</sub> -	Н	4-(methoxy-carbonyl- methoxy)-phenyl	2-hydroxy	8-hydroxy	446.46
	191	<u>170</u>	-CH <sub>2</sub> CH <sub>2</sub> -	Н	4-(3-hydrox-n-propoxy)- phenyl	2-(t-butyl- dimethyl- silyloxy)	8-(t-butyl- dimethyl- silyloxy)	661.01
	192		-CH <sub>2</sub> -	Н	4-(piperidinyl-ethoxy)- phenyl	2-methoxy	8-methoxy	499.61
	193		-CH <sub>2</sub> CH <sub>2</sub> -	Н	4-(formyl-methoxy)-phenyl	2-t-butyl- dimethyl- silyloxy	8-t-butyl- dimethyl- silyloxy	658.99
	194		-CH₂CH₂-	н	4-(2-carboxy-ethoxy)- phenyl	2-t-butyl- dimethyl- silyloxy	8-t-butyl- dimethyl- silyloxy	674.99

		147		<del></del>				<del></del>
		1-17		•			٠	
	405				R* S -4-(piperidinyl-			
	195	147	-CH <sub>2</sub> CH <sub>2</sub> -	H	ethoxy)-phenyl	2-methoxy	8-hydroxy	499.61
		147				·		
					<u>R</u> * <u>S</u> -4-(piperidinyl-			
	196		-CH <sub>2</sub> CH <sub>2</sub> -	<u>H</u>	ethoxy)-phenyl	2-hydroxy	8-methoxy	499.61
·						2-t-butyl-	8-t-butyl-	]
					4-(2-methoxy-carbonyl-	dimethyl-	dimethyl-	
	197	-	-CH <sub>2</sub> CH <sub>2</sub> -	H_	ethoxy)-phenyl	silyloxy	silyloxy	689.02
	,							
					4-(2-carboxy-ethoxy)-			
	198		-CH <sub>2</sub> CH <sub>2</sub> -	Н	phenyl	2-hydroxy	8-hydroxy	446.46
•					4-(2-methoxy-carbonyl-			
	199		-CH <sub>2</sub> CH <sub>2</sub> -	Н	ethoxy)-phenyl	2-hydroxy	8-hydroxy	460.49
		<u>169</u>		,				
				•	S <sup>*</sup> -4-(2-hydroxy-ethoxy)-	2-t-butyl- dimethyl-	8-t-butyl-	
	200		-CH <sub>2</sub> CH <sub>2</sub> -	Н	phenyl	silyloxy	dimethyl- silyloxy	646.98
	200	169	01120112		pony.			0.000
•	•				5.401	2-t-butyl-	8-t-butyl-	
	201		-CH <sub>2</sub> CH <sub>2</sub> -	Н	R <sup>*</sup> -4-(2-hydroxy-ethoxy)- phenyl	dimethyl- silyloxy	dimethyl- silyloxy	646.98
	201	<u>170</u>	-01120112"		prienyi	SilyiOxy	SilyiOxy	040.90
						2-t-butyl-	8-t-butyl-	' '
	000				S -4-(3-hydroxy-n-	dimethyl-	dimethyl-	664.04
	202	170	-CH <sub>2</sub> CH <sub>2</sub> -	Н	propoxy)-phenyl	silyloxy	silyloxy	661.01
		170				2-t-butyl-	8-t-butyl-	.
					R -4-(3-hydroxy-n-	dimethyl-	dimethyl-	
	203		-CH <sub>2</sub> CH <sub>2</sub> -	H	propoxy)-phenyl	silyloxy	silyloxy	661.01
					·	2-t-butyl-	8-t-butyl-	
					R <sup>*</sup> -4-(piperidinyl-2,6-	dimethyl-	dimethyl-	
	204		-CH <sub>2</sub> CH <sub>2</sub> -	<u>H</u>	dione-ethoxy)-phenyl	silyloxy	silyloxy	742.08
						2-t-butyl-		
	,					dimethyl-		
	205		-CH <sub>2</sub> CH <sub>2</sub> -	H	Hydroxy	silyloxy	8-fluoro	414.55
•						2-t-butyl-		
						dimethyl-		
	206		-CH <sub>2</sub> CH <sub>2</sub> -	Н	Hydroxy	silyloxy	-	396.56

		166						
		<u></u>				2-t-butyl- dimethyl-		
	207		-CH <sub>2</sub> CH <sub>2</sub> -	Н_	Hydroxy	silyloxy	9-methyl	410.59
			-				8-t-butyl-	
	208			н	Lludrova		dimethyl-	396.56
	200		-CH <sub>2</sub> CH <sub>2</sub> -		Hydroxy	<u>-</u>	silyloxy	390.30
							8-t-butyl- dimethyl-	
	209		-CH₂-	н	Hydroxy	-	silyloxy	382.54
							<del>-</del> ''	
					4-(piperidinyl-ethoxy)-			
	276	171	-CH <sub>2</sub> CH <sub>2</sub> -	<u> </u>	phenyl	2-hydroxy	8-hydroxy	483.61
		<u>171</u>			•			
	277		-CH <sub>2</sub> CH <sub>2</sub> -	Н	S <sup>*</sup> -4-(pyrrolidinyl-2,5- dione-ethoxy)-phenyl	2-hydroxy	8-hydroxy	499.53
			-01120112		dione ethoxy) phonyi	2 Hydroxy	OTIYUTOXY	433.30
					R <sup>*</sup> -4-(pyrrolidinyl-2,5-			
	278		-CH <sub>2</sub> CH <sub>2</sub> -	Н	dione-ethoxy)-phenyl	2-hydroxy	8-hydroxy	499.53
		,						
·		:			R -4-(pyrrolidinyl-2,5-	·	•	
	279		-CH <sub>2</sub> CH <sub>2</sub> -	Н	dione-n-propoxy)-phenyl	2-hydroxy	8-hydroxy	513.55
•					<b>.</b> *			
_	280		-CH <sub>2</sub> CH <sub>2</sub> -	Н	S <sup>*</sup> -4-(pyrrolidinyl-2,5- dione-n-propoxy)-phenyl	2-hydroxy	8-hydroxy	513.55
	200		01120112		ciono ii propoxy) pricityi	= ilydioxy	o nyarony	3.0.00
					R <sup>*</sup> -4-(methoxy-ethoxy)-			
	281		-CH <sub>2</sub> CH <sub>2</sub> -	Н	phenyl	2-hydroxy	8-hydroxy	432.48
		<u>93</u>				2-(t-butyl-	8-(t-butyl-	
			-CH <sub>2</sub> CH <sub>2</sub> .		4-(piperidinyl-ethoxy)-	dimethyl-	dimethyl-	
	282	114	CH₂-	H	phenyl	silyloxy)	silyloxy)	
		<del></del>			A / min a minimum to the accord			
	283		-CH <sub>2</sub> CH <sub>2</sub> -	н	4-(piperidinyl-ethoxy)- phenyl	2-hydroxy	9-methyl	
		<u>139</u>	<u> </u>		<u> </u>			
						2-(t-butyl- dimethyl-		
	286		-CH <sub>2</sub> CH <sub>2</sub> -	H	Hydroxy	silyloxy)	8-fluoro	

•

	<u>177</u>						
300		-CH₂CH₂-	Н	R*-4-(piperidinyl-ethoxy)- phenyl	2-methoxy	8-methoxy	513.64
	<u>178</u>			·			
301		-CH <sub>2</sub> CH <sub>2</sub> -	Н	R*-4-(piperidinyl-ethoxy)- phenyl	2-methoxy	8-hydroxy	499.61
	<u>178</u>						
302		-CH <sub>2</sub> CH <sub>2</sub> -	H	R*-4-(piperidinyl-ethoxy)- phenyl	2-hydroxy	8-methoxy	499.61

The symbol " – " indicates that no R<sup>3</sup> or R<sup>4</sup> substituent was present.